Technical datasheet

Wood Keeper Exterior Wood Stainer

Product description

A premium-quality, high-performance solvent-based exterior wood stainer designed to enhance and protect all types of wood surfaces. It penetrates deeply into the wood, highlighting the natural grain while providing long-lasting durability and weather resistance for exterior applications.

Available Shades: Black, Teak, Walnut, Dark Walnut, and Rosewood.

Performance Benefits

- Quick-drying solvent-based formulation that enables faster project completion.
- High transparency that enhances the natural beauty and highlights the grain pattern of the wood.
- Excellent applicability with smooth flow and ease of application.
- Provides excellent exterior durability and weather resistance for long-lasting protection.
- Delivers superior aesthetic appeal while maintaining the natural character of the wood.
- Suitable for a wide range of exterior wooden substrates. Recommended use

It can be applied on exterior furniture, wooden crafts, MDF boards, veneers, plywood, and other wooden substrates. It is primarily recommended for achieving an aesthetically appealing transparent color finish while enhancing the natural appearance of the wood grain

Technical Data (Typical Indicative values)

Viscosity @30^{0}C, B4 Cup	14±5 Sec
Specific Gravity, gm/Lt	0.9 ± 0.05
Surface dry	< 15 Min
Shelf Life in months for the originally packed tightly closed condition maintained at 25^0 C	24
Available shades	Black, Teak, Walnut, Dark Walnut, and Rosewood

Issue date: 22/08/2026

Recommended Application

Sand the seasoned wooden surface using emery paper (180) along the grains followed by 320 or 400. Wipes off the loose dust particles. Apply Wood Keeper Wood Stainer with a muslin cloth along the grains. Additional coats need to be applied at an interval of 5-10 minutes. For lighter shade, apply the stainer by diluting it with Berger T31 thinner.. Do not sand the stain coat. Do not mix wood Stainer with wood keeper 1K PU Interior and Exterior. Recommended exterior application

Pack Sizes & Shade Range

Berger Wood Keeper Wood Stain- Teak (FC4FUI): 100 mL, 500 mL, 1 L

Berger Wood Keeper Wood Stain- Black (FC4FUH): 100 mL, 500 mL, 1 L

Berger Wood Keeper Wood Stain- Walnut (FC4FUJ): 100 mL, 500 mL, 1 L

Berger Wood Keeper Wood Stain- Dark Walnut (FC4FUK): 100 mL, 500 mL, 1 L

Berger Wood Keeper Wood Stain- Rosewood (FC4FUL): 100 mL, 500 mL, 1 L

Storage & Handling

1.	Storage	Store in cool and dry place. Keep away from source of ignition. Keep container tightly closed, Keep out of children reach and away from food.
2.	Disposal	Do not pour left over product down the drain or any water course. Dispose in accordance with local regulation.
3.	Flash Point	Above 22^0C (Abel Closed Cup)

SAFETY INFORMATION

1.	Fire hazard Class	Flammable
2.	Safety Precaution	Kindly refer to the MSDS for Berger Wood Keeper Exterior Wood Stainer. Ensure good ventilation during storage, application & drying of product. Wear protective clothes & gloves. Smoking is prohibited while painting. A suitable dust nose pad should be worn when rubbing the surface. Avoid inhaling the vapour.

CONFIDENTIAL

		Wear eye protector during application. In case of contact with eyes, rinse immediately with plenty of water.
DISCLAMER		The information contained within this data sheet is based on information believed to be reliable at the time of its preparation. The company will not be liable for loss or damage howsoever caused including liability for negligence, which may be suffered by the user and the data contained herein. No guarantee of results is implied since conditions of use are beyond our control. Products undergo continuous improvement. The technical data in this catalogue are therefore subjected to change.

CONFIDENTIAL